



**Technical features:**

- Cast iron pressed body
- Steel slider arm with or without stop
- Cam-controlled operation
- Adjustment valves with thermostatic device.

**Operation:**

- Closing rate
- End stroke
- Closure delay
- Opening brake
- Actuating force
- Stop position

**Supplied as standard:**

- Pre-assembly plate
- Screws
- Adhesive templates

**Finishes:**

- STANDARD:
  - Aluminum (fin. 97)
- FINISHING OPTIONS:
  - Black (fin. 44)
  - White (fin. 45)
  - Champagne (fin. 87)
  - Dark brown (fin. 88)
  - Dark bronze (fin. 99)
  - Satin-finished stainless steel (fin. C2)

**Standards:**

- CE mark according to the EN 1154 standard

# D7200

Type	Description	Closing strength	Max. door width	Max. door weight	Unit weight Kg	Pieces	ITEM							
							Type	Dim.	Hand	Fin.	Pers.	Spec.		
	<ul style="list-style-type: none"> <li>• For inward opening doors (door closer body installed on the door leaf and arm on the door frame)</li> <li>• Standard track arm</li> </ul>	2÷5	1250	100	6,000	1	1	D7200	04	0	97			
	<ul style="list-style-type: none"> <li>• For outward opening doors (door closer body installed on the door arm installed on the frame)</li> <li>• Standard track arm</li> </ul>	2÷5	1250	100	6,000	1	1	D7210	04	0	97			
	<ul style="list-style-type: none"> <li>• For inward opening doors (door closer body installed on the door leaf and arm on the door frame)</li> <li>• Hold open track arm</li> </ul>	2÷5	1250	100	6,000	1	1	D7201	04	0	97			
	<ul style="list-style-type: none"> <li>• For outward opening doors (door closer body installed on the door frame and arm on the door leaf)</li> <li>• Hold open track arm</li> </ul>	2÷5	1250	100	6,000	1	1	D7211	04	0	97			