



Technical features:

- Steel case cover, painted black
- Chrome-plated aluminium alloy self-locking latch

Supplied as standard:

- Strikers
- Fixing screws
- Instruction sheet
- ICIM and CE Certification

On request:

- Microswitch version (spec. LA)
- Hold-open device version (spec. FG)
- Fire resistant version with steel latch (spec. FR)

Finishes:

- STANDARD:
 - painted black
- ON REQUEST:
 - painted red (fin. 41)
 - painted yellow (fin. 42)
 - painted green (fin. 43)
 - painted white (fin. 45)
 - painted grey (fin. 97)

Standards:


- CE mark in compliance with the DIRECTIVE 89/106/CEE issued by AENOR.
- Voluntary ICIM certification issued by third party as provided for in the same UNI EN 1125 standard

Hand:
0 = Non-handed

Bar to be ordered separately
 series 07007


CISA Prestige

Type	Description	Kg	Pieces	ITEM			
				Type	Dim.	Hand	Fin.




- Lateral latch-bolt
- SUPPLIED AS STANDARD:
Strikers item 1.07072.20.0
- ON REQUEST:
Outside operation devices item 1.07077.46/47/48/49.0

2,850 1 1 59301 10 0



- MODULAR VERSION
- Lateral latch-bolt which can be deactivated
- SUPPLIED AS STANDARD:
Strikers item 1.07072.20.0
- Can be used with:
Pair of top/bottom latch-bolts item 1.07063.30.0
Pair of lateral latch-bolts item 1.07063.20.0
Pair of top/lateral latch-bolts item 1.07063.35.1/2
Pair of top/bottom dead-bolts item 1.07063.40.0
- ON REQUEST:
Outside operation device item 1.07077.46/47/48/49.0

2,846 1 1 59311 10 0



- MODULAR VERSION
- Can be used with:
Pair of top/bottom latch-bolts item 1.07063.30.0
Pair of lateral latch-bolts item 1.07063.20.0
Pair of top/lateral latch-bolts item 1.07063.35.1/2
Pair of top/bottom dead-bolts item 1.07063.40.0
- ON REQUEST:
Outside operation device item 1.07077.46/47/48.0

2,666 1 1 59316 10 0



Technical features:

- Steel case cover, painted black
- Chrome-plated aluminium alloy latch bolt and dead bolt

Supplied as standard:

- Strikers
- Fixing screws
- Instruction sheet
- ICIM and CE Certification

On request:

- Fire resistant version with steel latch (spec. FR) art. 1.07063.20/30/35.0


Finishes:


- STANDARD:
 - painted black
- ON REQUEST:
 - painted red (fin. 41)
 - painted yellow (fin. 42)
 - painted green (fin. 43)
 - painted white (fin. 45)
 - painted grey (fin. 97)

Hand:

- 0 = Non-handed
- 1 = R.H. outwards
- 2 = L.H. outwards


Type	Description	For series/item	Kg	Pieces	ITEM					
					Type	Dim.	Hand	Fin.	Pers.	Spec.
	<ul style="list-style-type: none"> • Pair of latch-bolts for lateral locking points • SUPPLIED AS STANDARD: 2 strikers item 1.07072.20.0 • ON REQUEST: Rods item 1.07081.06.0 	59311, 59316	1,062	1	1	07063	20	0		
	<ul style="list-style-type: none"> • Pair of dead-locking latch-bolts for top/bottom locking points • SUPPLIED AS STANDARD: upper strikers item 1.07072.20.0 Floor striker item 1.07072.28.0 • ON REQUEST: Rods item 1.07081.06.0 	59311, 59316	1,000	1	1	07063	30	0		
	<ul style="list-style-type: none"> • Pair of latch-bolts for upper dead-locking and bottom lateral locking points • SUPPLIED AS STANDARD: 2 strikers item 1.07072.20.0 • ON REQUEST: Rods item 1.07081.06.0 	59311, 59316	1,000	1	1	07063	35	1		
	<ul style="list-style-type: none"> • Pair of latch-bolts for top/bottom locking points for swinging doors • SUPPLIED AS STANDARD: Upper strikers item 1.07072.25.0 and 1.07072.26.0 Floor striker item 1.07072.25.0 • ON REQUEST: Rods item 1.07081.06.0 	59311, 59316	1,000	1	1	07063	40	0		
	<ul style="list-style-type: none"> • Additional lateral latch-bolt • SUPPLIED AS STANDARD: Strikers item 1.07072.20.0 and 1.07072.21.0 	59311, 59316	0,300	1	1	07063	15	1		
			0,300	1	1	07063	15	2		

Type	Description	For series/item	 Unit weight  Pieces	ITEM			
				Type	Dim.	Hand	Fin.



- Set of extended bolts
- Black painted case cover
- To be used with latch-bolts item 1.07063.20/30/35/40.0

59311, 59316 1,220 1 1 07081 06 0



- Top extended bolt set
- Black painted case cover

07063 0,652 1 1 07064 60 0



Technical features:

- Stainless steel case cover
- Chrome-plated aluminium alloy self-locking latch with PVD coating.

Supplied as standard:

- Strikers
- Fixing screws
- Instruction sheet
- ICIM and CE Certification

On request:

- Microswitch version (spec. LA)
- Hold-open device version (spec. FG)
- Fire resistant version with steel latch (spec. FR)

Standards:

- CE mark in compliance with the DIRECTIVE 89/106/CEE issued by AENOR.
- Voluntary ICIM certification issued by third party as provided for in the same UNI EN 1125 standard

Hand:


0 = Non-handed

Bar to be ordered separately




CISA Prestige Inox

Type	Description	Kg	Box	ITEM				
				Type	Dim.	Hand	Fin.	Pers. Spec.




- Lateral latchbolt
- SUPPLIED AS STANDARD:
Strikers item 1.07072.70.0
- ON REQUEST:
Outside operation devices item 1.07077.46/47/48/49.0.C2

2,864 1 1 59351 10 0



- MODULAR VERSION
- Lateral latchbolt which can be disconnected
- SUPPLIED AS STANDARD:
Strikers item 1.07072.70.0
- Can be used with:
Pair of top/bottom latchbolts item 1.07063.31.0
Pair of lateral latchbolts item 1.07063.21.0
Pair of top/lateral latchbolts item 1.07063.36.0
Pair of top/bottom deadbolts item 1.07063.41.0
- ON REQUEST:
Outside operation device 1.07077.46/47/48.0.C2

3,002 1 1 59361 10 0



- MODULAR VERSION
- Can be used with:
Pair of top/bottom latchbolts item 1.07063.31.0
Pair of lateral latchbolts item 1.07063.21.02
Pair of top/lateral latchbolts item 1.07063.36.1/2
Pair of top/bottom deadbolts item 1.07063.41.0
- ON REQUEST:
Outside operation device 1.07077.46/47/48.0.C2

2,700 1 1 59366 10 0



Technical features:

- Stainless steel case cover
- Chrome-plated aluminium alloy latch bolt and dead bolt with PVD coating.

Supplied as standard:

- Strikers
- Fixing screws
- Instruction sheet
- ICIM and CE Certification

On request:

- Fire resistant version with steel latch (spec. FR)



Hand:


0 = Non-handed

1 = R.H. outwards

2 = L.H. outwards


Type	Description	For series/item	Unit weight 	Pieces 	ITEM					
					Type	Dim.	Hand	Fin.	Pers.	Spec.
	<ul style="list-style-type: none"> • Pair of latch-bolts for lateral locking points • SUPPLIED AS STANDARD: 2 strikers item 1.07072.70.0 • ON REQUEST: Rods item 1.07081.61.0 	59361, 59366	1,220	1	1	07063	21	0		
	<ul style="list-style-type: none"> • Pair of dead-locking latch-bolts for top/bottom locking points • SUPPLIED AS STANDARD: upper strikers item 1.07072.70.0 Floor striker item 1.07072.78.0 • ON REQUEST: Rods item 1.07081.61.0 	59361, 59366	1,080	1	1	07063	31	0		
	<ul style="list-style-type: none"> • Pair of latch-bolts for upper dead-locking and bottom lateral locking points • SUPPLIED AS STANDARD: 2 strikers item 1.07072.70.0 • ON REQUEST: Rods item 1.07081.61.0 	59361, 59366	1,000	1	1	07063	36	1		
	<ul style="list-style-type: none"> • Pair of latch-bolts for top/bottom locking points for swinging doors • SUPPLIED AS STANDARD: Upper strikers item 1.07072.75.0 and 1.07072.76.0 Floor striker item 1.07072.75.0 • ON REQUEST: Rods item 1.07081.61.0 	59361, 59366	1,000	1	1	07063	41	0		

Type	Description	For series/item	Unit weight 	Pieces 	ITEM				
					Type	Dim.	Hand	Fin.	Pers. Spec.



- Stainless steel extended bolts
- To be used with latch-bolts item 1.07063.21/31/36/41.0

59361, 59366 1,196 1 1 07081 61 0



- Stainless steel top extended bolt set
- Stainless steel case cover

07063 0,500 1 1 07064 61 0