

Technical features:

- Nickel plated satin steel faceplate and striking plate
- Zinc plated steel case
- Reversible, nickel-plated latch
- Nickel-plated steel dead-bolt

Supplied as standard:

- Striking plate
- 2 escutcheons :
inside item 1.06143.00.0,
outside item 1.06082.00.0
- 3 keys
- Fixing screws

Hand:
0 = Non-handed

Type	Description	Key item	Throws	Centre Distance	Faceplate Backset	Unit weight Kg	Pieces	ITEM			
								Type	Dim. Hand	Fin.	Pers. Spec.

<ul style="list-style-type: none"> • Dead-bolt only • SUPPLIED AS STANDARD: Striking plate item 1.06231.00.0 		1 00100 00 1	4	25 52	1,150	1	1 57010 50 0				
			4	25 60	1,200	1	1 57010 60 0				
			4	25 70	1,250	1	1 57010 70 0				
			1 00102 00 1	4	25 52	1,160	1	1 57010 51 0			
				4	25 60	1,310	1	1 57010 61 0			
				4	25 70	1,280	1	1 57010 71 0			

<ul style="list-style-type: none"> • Dead-bolt only • Pre-arranged for additional locking points • SUPPLIED AS STANDARD: Striking plate item 1.06235.00.0 Two guides for extended bolts item 1.06085.00.0 Upper striker item 1.06084.00.0 • ON REQUEST: Extended bolts item 1.06415.00.0 Floor striker item 1.06086.00.0 		1 00100 00 1	4	25 60	1,385	1	1 57015 60 0				
			4	25 70	1,430	1	1 57015 70 0				
				1 00102 00 1	4	25 60	1,410	1	1 57015 61 0		
		4			25 70	1,460	1	1 57015 71 0			

<ul style="list-style-type: none"> • Pair of locks dead-bolt only • Pre-arranged for additional locking points • SUPPLIED AS STANDARD: two strikers item 1.06235.00.0 two guides for extended bolts item 1.06085.00.0 Upper striker item 1.06084.00.0 • ON REQUEST: Extended bolts item 1.06416.00.0 Floor striker item 1.06086.00.0 		1 00100 00 1	4	25 60	2,455	1	1 57020 60 0				
			4	25 70	2,540	1	1 57020 70 0				
				1 00102 00 1	4	25 60	2,610	1	1 57020 61 0		
		4			25 70	2,550	1	1 57020 71 0			

Type	Description	Key item	Throws	Centre Distance	Faceplate	Backset	Unit weight 	Pieces 	ITEM					
									Type	Dim.	Hand	Fin.	Pers. Spec.	
	<ul style="list-style-type: none"> • Dead-bolt and latch • SUPPLIED AS STANDARD: Striking plate item 1.06271.00.0 	 1 00100 00 1	4	85	25	60	1,475	1	1	57250	60	0		
		 1 00102 00 1	4	85	25	60	1,500	1	1	57250	61	0		
	<ul style="list-style-type: none"> • Dead-bolt and latch • Pre-arranged for additional locking points • SUPPLIED AS STANDARD: Striking plate item 1.06272.00.0 Two guides for extended bolts item 1.06085.00.0 Upper striker item 1.06084.00.0 • ON REQUEST: Extended bolts item 1.06415.00.0 Floor striker item 1.06086.00.0 	 1 00100 00 1	4	85	25	60	1,700	1	1	57255	60	0		
		 1 00102 00 1	4	85	25	60	1,750	1	1	57255	61	0		
	<ul style="list-style-type: none"> • For metal profiles • Dead-bolt and latch • Pre-arranged for additional locking points • Without striking plate • ON REQUEST: Extended bolts item 1.06415.00.0 Floor striker item 1.06086.00.0 	 1 00100 00 1	4	85	25	60	1,380	1	1	57256	60	0		

Technical features:


- Painted, brass plated satin steel faceplate and striking plate
- Zinc plated steel case
- Reversible, nickel-plated latch
- Nickel-plated steel multiple dead-bolts

Supplied as standard:

- Striking plate
- 2 escutcheons: inside item 1.06143.00.0, outside item 1.06082.00.0
- 3 keys
- Fixing screws

Hand:
0 = Non-handed

Type	Description	Key item	Throws	Centre Distance	Faceplate Backset	Unit weight Kg	Pieces	ITEM				
								Type	Dim.	Hand	Fin.	Pers.




- 3 dead-bolts only
- SUPPLIED AS STANDARD:
Striking plate item 1.06283.00.0



1 00100 00 1

4 25 50 1,065 1 1 57028 50 0




- 4 dead-bolts only
- SUPPLIED AS STANDARD:
Striking plate item 1.06283.01.0



1 00100 00 1

4 25 60 1,150 1 1 57028 60 0




- 4 dead-bolts only
- Pre-arranged for additional locking points
- SUPPLIED AS STANDARD:
Two guides for extended bolts item 1.06085.00.0
Upper striker item 1.06084.00.0
Striking plate item 1.06283.02.0
- ON REQUEST:
Extended bolts item 1.06415.00.0
Floor striker item 1.06086.00.0




1 00101 00 1

4 25 60 1,400 1 1 57033 60 0

Type	Description	Key item	Throws	Centre Distance	Faceplate	Backset	Unit weight 	Pieces 	ITEM			
									Type	Dim.	Hand	Fin.




- Latch and 4 dead-bolts
- SUPPLIED AS STANDARD:
Striking plate item 1.06284.00.0




1 00101 00 1

4 85 25 60 1,410 1 1 57260 60 0




1 00102 00 1

4 85 25 60 1,425 1 1 57260 61 0




- Latch and 4 dead-bolts
- Pre-arranged for additional locking points
- SUPPLIED AS STANDARD:
Two guides for extended bolts item 1.06085.00.0
Upper striker item 1.06084.00.0
Striking plate item 1.06284.00.0
- ON REQUEST:
Extended bolts item 1.06415.00.0
Floor striker item 1.06086.00.0



1 00101 00 1

4 85 25 60 1,700 1 1 57265 60 0



1 00102 00 1

4 85 25 60 1,715 1 1 57265 61 0